



Wire Loop Bracelet

Use new Matubo 2/0 beads to make simple unisex jewelry



Material (for one bracelet)

Matubo 2/0 (10 - 15 pcs)

3mm round beads, glass or metal (20 - 30 pcs)

Eyepins (1 inch/25 mm or longer)(10-15 pcs)


Jump rings, a clasp

Round nose pliers, chain nose pliers and wire cutters


Difficulty: For beginners/intermediate



1) String one 3mm round, one 2/0 and one 3mm round on an eyepin.



2) Use chain nose pliers to make a 90 degree bend just behind the last bead.



3) Cut the wire, so it measures approx. 7 mm (0,3 inch)




4) Use round nose pliers to make a simple wire loop.

Hold the end of the wire between the jaws of the pliers and start rolling the pliers towards the bend.



5) This is what you should get.



6) Take another headpin and open the pre-made loop.



7) Connect it with one of the loops on the previous components and then close it.



8) String one 3mm round, one 2/0 and one 3mm round on the new eyepin...



9) ... and make a loop, like in steps 2 - 5.



10) Repeat steps 6 - 9 ...



11) ... until you reach the desired length of the bracelet.

12) Use jump rings to attach a clasp of your choice. The bracelet is finished.



Colorways:



Matubo 2/0 83120/85805
3mm round - stainless steel

Matubo 2/0 33050/85001
3mm round 23980/21135

Matubo 2/0 63130/85805
3mm round 63130/86805